



FOSTER

Product Selection Guide

fosterrefrigerator.com



[Click here for the contents](#)

We're known as The Refrigeration Experts for a reason...



We've been manufacturing commercial refrigeration in Britain since 1968, and our products can be found in 116 countries and counting.



Our interest-free credit scheme is market-leading, giving you the option to spread payment over 12, 18 or 24 months at a rate of 0% – all while its working for you and we offer a 3 month payment holiday!*



Aftersales isn't an afterthought – with everything from expert technical support to 24/7 online parts ordering, it's not only our refrigeration that you can rely on.



+STAYCLEAR

Innovation is at our core, like our award-winning +stayclear condenser - a great example of how we're always looking to raise the bar in refrigeration.



We're proud to be a British manufacturer – our world class manufacturing and in-house testing facility is based in King's Lynn, Norfolk.





Expert help where and when you need it – free of charge site surveys and local product training are just part of our commitment to making life easier for our customers.*



We have held the Royal Warrant for over 25 years for Suppliers in Commercial Refrigeration by appointment of Her Majesty, The Queen.



We hold ourselves to the highest standards: Foster are accredited to ISO 14001:2015, the recognised international standard in Environmental Management Systems, and ISO 9001:2015 the benchmark for Quality Management Systems.



We're committed to carbon reduction, holding the Carbon Trust Standard for over a decade.



We're part of ITW, a Fortune 250 company. A world leading manufacturer with a \$2.6 billion food equipment division specialising in refrigeration, warewash, cooking and service – so whatever your need, ITW has you covered!

*UK only.





By Appointment to
Her Majesty Queen Elizabeth II
Suppliers of Commercial Refrigeration
Foster Refrigerator, King's Lynn

Foster Refrigerator UK

Oldmedow Road
King's Lynn
Norfolk
PE30 4JU

+44 (0)1553 691122
info@foster-gamko.com

Foster Refrigerator Worldwide

+44 (0)1553 780500
export@foster-gamko.com



Welcome to your **interactive** Foster product selection guide.



To return to the contents at any point, click on the Foster logo on every page



Look out for the Foster 'Play' buttons – these will launch bonus content

Complete refrigeration solutions	6
EcoPro G3 cabinets	10
EcoPro G3 counters	16
FlexDrawer	22
Slimline	26
XTRA cabinets and counters	28
Undercounter cabinets	32
Low level counters	34
Roll-in refrigeration	36
Bakery	37
Chest freezers	38
Heated cabinets	39
Prep	40
Pan chillers	43
XTRA prep	44
Blast chillers and freezers, & controlled thaw	48
XTRA blast chillers	52
EcoShow Multideck display chillers	54
Pro and Slim Multideck display chillers	57
Ice machines	60
Coldstores	64



A chef with a beard and glasses, wearing a dark t-shirt and a brown apron, is holding a large, cooked piece of meat, possibly a roast or a large cut of beef, in a professional kitchen setting. The kitchen has stainless steel counters and shelves in the background. The lighting is somewhat dim, with a blueish tint. The chef is looking at the meat with a focused expression. A semi-transparent text box is overlaid on the left side of the image.

Complete Refrigeration Solutions

Foster is synonymous with professional refrigeration, and we have products for every stage of foodservice; from storage to prep to the cookline and back to storage.

FOSTER

Types of Refrigeration

Display

From convenience stores and cafes to bakeries and supermarkets, there is a need to display your refrigerated goods in an appealing manner to maximise your sales.

[Click here](#)

Process


From blast chillers to controlled thaw, Foster offers a range of process products to meet the exacting needs of your commercial kitchen, maximising the condition, taste and texture of your food, before and after it reaches the cookline.

[Click here](#)

Coldstores

For large capacity refrigerated storage convenience, Coldrooms can be installed inside the kitchen, or if space is at a premium, outdoor to allow the kitchen to be prioritised for preparation.

[Click here](#)



Prep

Take the travel out of preparation by having your ingredients right where you need them. Ergonomically designed units allow for faster access to items such as pizza toppings and sandwich fillings.

[Click here](#)

Front of House

From bottle chillers to keg coolers, we have your front of house requirements covered with Gamko's bar refrigeration.

[See Gamko section](#)

Storage

The foundation of the professional kitchen. From Gastronorm cabinets and counters to the convenience of Slimlines and Undercounters, Foster has the solution for you.

[Click here](#)



Bringing the showroom to you



View our immersive showroom today at
fosterrefrigerator.com/showroom
gamko.com/showroom





FOSTER

+ STAYCLEAR

The next generation of our award-winning condenser, revolutionising the efficiency of refrigeration



Fitted across the G3 range of cabinets and counters as standard



Reduces maintenance costs and customer site disruption




Helps to maintain more reliable temperature control improving food safety



Equipment lasts longer



Increased carbon reduction through lower energy use




Welcome to our best performing, most food safe cabinet yet



EcoPro G3 cabinets

The next generation of professional refrigeration is here



- With G3, you get the best of both worlds: high performance coupled with low energy consumption, from the Refrigeration Experts.

- The third generation of EcoPro, the G3 cabinets are loaded with reliability, energy-saving, food safety and hygiene features.

PURECONTROL

The controller display uses pure LEDs incorporating InGaN technology, meaning it achieves **higher resolution, lasts longer, all while using less power.**

A GRADE EP700H MODEL



The redesigned **+STAYCLEAR** condenser means **little maintenance** and **incredible efficiencies** across the entire range.




Foster Shield means you can rest assured, that from advanced temperature control to hygienic design, you're protected from the dangers of unsafe food storage.



Designed using 'CFD' modelling: a **cutting edge technology used in Formula 1 and aerospace industries** to track movement of air, ensures food stays fresher for longer.



Delivered with **lockable castors** fitted as standard, giving you full mobility for easy access around the unit. Once in position, you can be sure it will stay there.



Huge **market-leading capacity**, with four shelves as standard on single door cabinets, maximising usable space.



304 is the **gold standard in performance stainless steel** with Foster's unique polishing system meaning that the heaviest touchpoints in a kitchen are covered.



Interest-free credit available over 24 months **ZERO%** (UK only)

Packed full of innovation for the most demanding kitchens

Versatile

With the G3 Short, cabinets can fit through standard doorways without tilting, making them suitable for low ceiling applications.




Future-proofed

Through the simple addition of a gateway, you're connectivity-ready, providing a HACCP temperature data solution, energy consumption information, and the facility for equipment management.



Durable

Full length ladder racks offer increased weight loading for shelves. Racking system and door gaskets are removable for ease of cleaning.



Perfect for hot kitchens

Operates efficiently in ambients up to 43°C (exceeds ISO Climate Class 5), meaning G3 is proven to work in the hottest of kitchen environments.



Foster Shield ensures that you are protected from the dangers of unsafe food storage. With a refrigeration system re-engineered using CFD technology for astounding temperature control, and an improved design making the G3 our easiest refrigerator to clean, this is our most foodsafe product yet.

PURE CONTROL

The G3's controller display uses pure LEDs, incorporating InGaN technology, which means it achieves higher resolution, lasts longer - all while using less power.

The white characters are 33% larger, with sharper definition which can be viewed from a 180-degree angle, meaning chefs can see the temperature of their fridge at a glance from almost anywhere in the kitchen.

+ STAYCLEAR SC

We've developed a brand-new version of our award-winning +stayclear condenser, which is now an integral part of the entire G3 cabinet and counter range.

This smart, low-maintenance component ensures that not only is your G3 saving energy on its first day in your kitchen, but it keeps up a high level of performance over time.



Interest-free credit available over 24 months **ZERO*** (UK only)

The G3 cabinet range



At a glance

Standard



Glass door



Half doors/Dual Temp



Double door



Fish



Short



Interest-free credit available over 24 months **ZERO%** (UK only)

In addition to what's already been covered, the G3 specification offers you so much more than meets the eye...

Performance, Reliability and Quality

- Reinforced 5mm stainless hinges at the top and bottom of the door for added durability and to eliminate the risk of door sag (tested to 250,000 openings, equivalent to ten years' usage).
- Cutting edge technology fibre optic laser used in manufacturing provides more precise joins for enhanced product quality, performance and hygiene.
- The top fascia panel featuring 'Airlines' ventilation system keeps the refrigeration system cool and efficient.
- The anti tilt heavy duty racking system, with each shelf capable of holding 40kg, is fully secured into the rear air duct. When extra strength shelves are needed, we offer the option of extra heavy duty shelving capable of holding 60kg.
- Self-closing doors help to maintain consistent storage temperature.

Energy Efficiency and Sustainability

- Low carbon footprint - 'natural' Hydrocarbon refrigerant, low energy consumption, through to product longevity and recyclability means the EcoPro G3 will help your business reduce its carbon footprint.
- High-performance Cyclopentane foam which is more thermally efficient, maintains its insulation performance longer than traditionally used foams.

Value


- Market leading capacity - get 'more fridge for your money': up to 54 litres of additional space compared to the storage capacity of an average competitor – that's the equivalent of 198 x 250g packs of butter!

Hygiene & Safety

- Ergonomic one piece door handle design for ease of opening and cleaning.
- Hygienic and contactless magnetic fan cut-out door switch with no moving parts.



Specifications



700



700 HALF DOOR



700 SHORT



1440

Configurations

	700	-	700 HALF DOOR	-	700 SHORT	-	1440	-
Dimensions (w x d x h) mm	700 x 855 x 2080	-	700 x 855 x 2080	-	700 x 855 x 1955	-	1440 x 855 x 2080	-
Gross volume (Litres)	600	-	600	-	600	-	1350	-
Refrigerator (+1°C/+4°C)	EP700H	A	EP700H2	A	EP700SH	A	EP1440H	B
Freezer (-18°C/-21°C)	EP700L	B	EP700L2	B	EP700SL	B	EP1440L	D
Glass Door*	EP700G	B	-	-	-	-	EP1440G	B
No. of GN 2/1 shelves	4	-	4	-	4	-	8	-
Shelf size (mm)	530 x 650	-	530 x 650	-	530 x 650	-	530 x 650	-



Energy efficient hydrocarbon refrigerant, one of the greenest refrigerants on the market.

Energy grade**

Please note – non-standard product dimensions and temperatures can be found in the price book



Interest-free credit available over 24 months **ZERO%** (UK only)

* Glass door ambient H temp 32°C and is only available supplied with legs, NB: Fish model requires a drain
 ** Based on standard specification. Full energy listings available at fosterrefrigerator.com.


 Featured options



Stainless steel back for island siting



Helicoil mains lead



GN 2/1 nylon coated shelf



GN2/1 stainless steel shelf



Anti tilt stainless steel trayslides

NB: Please specify all options required at the time of ordering

Also:

- 220/60/1 electrical supply**
- Remote (less condensing unit)**
- 150mm legs in lieu of castors**
- Left hand hinged door(s)**
- Extra heavy duty shelving**
- Marine option***
- Bottle rack (140 bottle capacity)***
- 60x40cm Bakery rack (excludes trays)***

* only available on EP700 models






Taking the travel out of food preparation and customised to your needs, G3 counters offer unrivalled flexibility and quality

ECOPRO
G3

FOSTER

EcoPro G3 counters

The next generation of professional refrigeration is here



- We offer a wide selection of EcoPro G3 counters to ensure you find the right option for you and your business.
- From drawer combination to saladette cut out counters, these high-performance professional refrigeration units are fitted with energy efficient, commercial grade components for maximum reliability and minimum cost.

PURECONTROL


The controller display uses pure LEDs incorporating InGaN technology, meaning it achieves higher resolution, lasts longer, all while using less power.

Now featuring our award-winning next generation + **STAYCLEAR** condenser!

A+ GRADE EP1/2H MODEL



A reduced footprint – the more compact design of G3 counters **allow them to fit in the tightest of kitchen spaces** without losing capacity.



250,000 counter variations available for your customisation.



Foster Shield means you can rest assured, that from advanced temperature control to hygienic design, you're protected from the dangers of unsafe food storage.



Delivered with **lockable castors** fitted as standard, giving you full mobility for easy access around the unit. Once in position, you can be sure it will stay there.



Works efficiently even in hot kitchens, operates to ISO Climate Class 5 - up to 43°C ambient.



Interest-free credit available over 24 months **ZERO** (UK only)

Packed full of innovation for the most demanding kitchens

Innovative

G3 counters are fitted with the new and improved +stayclear condenser, meaning little maintenance required and incredible efficiencies.



Future-proofed

Through the simple addition of a gateway, you're connectivity-ready, providing a HACCP temperature data solution, energy consumption information, and the facility for equipment management.




Hygiene

304 is the gold standard in performance stainless steel and our unique polishing system means the heaviest touchpoints in a kitchen are covered.



'Airlines' ventilation system

Fascia panel featuring the 'Airlines' ventilation system for the refrigeration unit, means that your state of the art product looks great in any environment whilst keeping the refrigeration system cool and efficient.



Durable

Cutting edge fibre optic laser technology used in manufacturing provides more precise joins for enhanced product quality, performance and hygiene.



Food safe

Redesigned using 'CFD' modelling; a cutting edge technology used in Formula 1 and aerospace industries to track movement of air, ensures food stays safer and fresher for longer.



Interest-free credit available over 24 months **ZERO*** (UK only)

In addition to what's already been covered, **the G3 specification** offers you so much more than meets the eye...

- Low carbon footprint - 'natural' Hydrocarbon refrigerant, low energy consumption, through to product longevity and recyclability means the EcoPro G3 will help your business reduce its carbon footprint.
- Removable internal racking system and door gaskets for ease of clean.
- High-performance Cylopentane foam which is more thermally efficient, maintains its insulation performance longer than traditionally used foams.
- Self-closing doors help to maintain consistent storage temperature.
- Stainless steel dished liner base for a high quality, hygienic and easy to clean finish.

Counter considerations


Before purchasing your counter, have you thought about:

- Where will your counter be situated? If it will be on a kitchen island, you may be interested in a stainless steel rear panel.
- Do you need splashbacks? The perfect option for preventing spillages behind the counter.
- Will the counter be situated underneath a fitted worktop? Counters can come with a less worktop configuration reducing the height by 28mm.




New! 50mm reduction in width means G3 counters fit in the tightest of spaces without compromising on capacity!


Specifications




EP1/2




EP1/3



EP1/4



EP2/2



EP2/3

Configurations

Dimensions (w x d x h) mm	1365 x 700 x 865	-	1815 x 700 x 865	-	2270 x 700 x 865	-	1775 x 800 x 865	-	2430 x 800 x 865	-
Gross volume (Litres)	280	-	435	-	585	-	495	-	760	-
GN format	1/1	-	1/1	-	1/1	-	2/1	-	2/1	-
No. of shelves	4	-	6	-	8	-	4	-	6	-
Refrigerator (+1/+4°C)	EP1/2H	A+	EP1/3H	A	EP1/4H	A	EP2/2H	A	EP2/3H	A
Meat/Chill (-2/+2°C)	EP1/2M	†	EP1/3M	†	-	-	-	-	-	-
Freezer (-18/-21°C)	EP1/2L	E	EP1/3L	F	-	-	-	-	-	-

Hydrocarbon Refrigerant



Energy efficient hydrocarbon refrigerant, one of the greenest refrigerants on the market.

Energy grade*



Interest-free credit available over 24 months **ZERO%** (UK only) † Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown * Based on standard specification. Full energy listings available at fosterrefrigerator.com

Available options

Half drawers*



Third drawers*



100mm splashback



Saladette cut out*



Saladette cut out with cover*



Helicoil mains lead



GN 1/1 & 2/1 nylon coated shelves



GN 1/2 & 2/1 stainless steel shelf



Anti tilt stainless steel trayslides



Also:

Stainless steel back for island siting

Levelling bolts in lieu of castors

H Frames for bridging saladette

GN pan packs (100mm deep)

Right hand mounted refrigeration unit

**100mm legs in lieu of castors
(height 835mm to 865mm)**

**150mm legs in lieu of castors
(height 885mm to 935mm)**

Chef drawer

Remote (less condensing unit)

Less worktop

220/60/1 electrical supply

*High temp models only

NB: Please specify all options required at the time of ordering



Where aftercare isn't an afterthought



For your convenience

Our inhouse call centre is available for service enquiries.
Monday to Friday 08:00 – 18:00



There when you need us

We have a nationwide network of trained engineers and over 39,000 spare parts available for next day delivery (Mon-Fri).

Contact us

Spares: +44 (0)1553 780300 parts@foster-gamko.com

Service: +44 (0)1553 780333 service@foster-gamko.com



Our refrigeration products have been engineered to provide years of exceptional performance, efficiency and reliability.

Even the most reliable products require some level of care to ensure optimal performance, month after month, year after year. It is all about making sure food is safe and drinks are perfectly chilled and that's where Foster and Gamko's aftercare team is here to help.

To save you time any spares required can be purchased through our online spares shop at foster-spares.co.uk

Extended warranties are available.




Switch from fridge to freezer at the touch of a button for ultimate flexibility.

FlexDrawer



FlexDrawer

Innovative and flexible solutions from Foster



- o An innovative extension to our counter range, the Foster FlexDrawer offers flexible counter storage solutions for even the most demanding of professional kitchens.



Incredibly flexible – our standard models' clever drawer design holds up to 3x GN 1/1 pans wide, meaning ALL space is usable.



Designed to **accommodate hot cooking equipment** such as broilers, griddles and induction hobs.



Can change temperature from fridge to freezer at the touch of a button.



Massive strength – drawer runners can hold up to 200kg meaning unrivalled quality is assured.



And so easy to clean!
Fully removable robust ABS drawer bins.



Space saving – 775mm width models available.



Interest-free credit available over 24 months **ZERO%** (UK only)



Bringing the showroom to you



Wondering how the FlexDrawer would work in a real kitchen environment?
View our immersive showroom today at
fosterrefrigerator.com/showroom

The FlexDrawer is so versatile – it can be used as a work station or grill station, all with storage at the point of preparation.


Flexible

Change from fridge to freezer at the touch of a button.



Quality

High quality 304 stainless steel finish throughout meaning quality is assured.



Secure

Lockable drawers for maximum security.




Durable

Designed to accommodate hot cooking equipment such as broilers, griddles and induction hobs.



Specifications


Configurations



FFC6-2



FFC4-2



FFC3-1



FFC2-1

Dimensions (w x d x h) mm	1100 x 700* x 900mm	-	775 x 700* x 900mm	-	1100 x 700* x 600mm	-	775 x 700* x 600mm	-
+1/+4°C / -18/-21°C	FFC6-2	C	FFC4-2	C	FFC3-1	C	FFC2-1	C
Number of drawers	2	-	2	-	1	-	1	-
GN1/1 Pan capacity (not supplied)	6 (150mm deep)	-	4 (150mm deep)	-	3 (150mm deep)	-	2 (150mm deep)	-

*Add 20mm to depth if product is to be wall sited (stopper required for air circulation - detachable if not wall-sited)
 Note: Two plugs required on 2 drawer models. Max worktop weight loading: 150Kg

Energy grade **


Drawer Bin Layout

With GN1/1 pans

FFC6-2 / FFC3-1



FFC4-2 / FFC2-1



Interest-free credit available over 24 months **ZERO*** (UK only)

 Available options



GN1/1 150mm deep pan

Also:

Extended worktop

Stainless steel rear

Biscuit lid (reduces height by 18mm)

Roller set (reduces height by 25mm)

**Biscuit lid and Roller set
(reduces height by 43mm)**

Cekon lead(s)

Pan spacer support

100mm splashback

Helicoil leads

NB: Please specify all options required at the time of ordering



Interest-free credit available over 24 months **ZERO%** (UK only)



Refrigeration so slim that even a double door Slimline can fit through most single pedestrian doorways.

Slimline

FOSTER



Slimline


Slender design with big performance

- The Foster Slimline range of cabinets have been cleverly designed to fit in compact or awkwardly shaped kitchen environments, whilst still offering outstanding storage capacity, style and efficiency.

Specifications



400



800

Configurations

Dimensions (w x d x h) mm	600 x 705 x 1910	-	1200 x 705 x 1910	-
Gross Volume (Litres)	400	-	800	-
No. of Shelves	3	-	6	-
Refrigerator (+1/+4°C)	FSL400H	C	FSL800H	D
Glass door Refrigerator (+1/+4°C)	FSL400G	B	FSL800G	B
Meat (-2/+2°C)	FSL400M	†	FSL800M	†
Freezer (-18/-21°C)	FSL400L	F	FSL800L	F

Energy grade*

Available options




Nylon coated shelf



Set of shelf clips

Also:
Left hand hinged door


NB: Please specify all options required at the time of ordering




Even temperature distribution
and fast recovery achieved by advanced air circulation, meaning an optimum temperature to keep your food fresher for longer.




Hydrocarbon Refrigerant



Storage Refrigeration




Stainless steel exterior finish
with 304 stainless steel door provides a durable product suitable for tough kitchen usage.



So slim
that even the double door model can go through most single pedestrian doorways.




Bottom mounted refrigeration system
draws air from the cooler part of the kitchen ensuring efficient operation.



High quality forced air refrigeration system
will operate up to 40°C (ISO Climate Class 5).

Glass door variation

Glass door models use energy efficient LED lighting for clear display and can operate in ambient temperature of up to 25°C.




Interest-free credit available over 24 months **ZERO** (UK only)

† Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown
* Based on standard specification. Full energy listings available at fosterrefrigerator.com.



XTRA
BY FOSTER

Affordable. Reliable. Available.

XTRA
BY FOSTER




FOSTER

XTRA cabinets and counters

Built for you, designed for your budget


- o Affordable and reliable commercial refrigeration from Foster

Available for delivery directly from our UK manufacturing plant:

-  - No importing delays – get your XTRA when you need it
-  - Unrivalled aftercare - 98% of spare parts held in stock
-  - Full 2 years parts & labour warranty from the UK market leader for total peace of mind

A full range of value for money refrigeration you can depend on:

- 600/1300 litre gastronorm cabinets
- 400 litre Slimline cabinets
- 2 and 3 door gastronorm counters



Enhanced specification giving you even more value!



- Energy efficient R290 hydrocarbon refrigerant available across the range, reducing your energy bills
- Enhanced cabinet airflow further improves performance, making sure cold air gets to your food



Interest-free credit available over 24 months **ZERO** (UK only)

The XTRA range



At a glance

Gastronorm 600 Litre cabinet



Gastronorm 1300 Litre cabinet



Gastronorm 2 section counter



Slimline 400 Litre cabinet



Slimline 400 Litre cabinet with glass door



Gastronorm 3 section counter



Interest-free credit available over 24 months **ZERO**^x (UK only)

XTRA by Foster

Available with removable gaskets for easy maintenance, door locks for security and castors for ease of movement when cleaning.




Control

Microprocessor controller provides simple accurate temperature control.



Specifications



Configurations

Dimensions (w x d x h) mm	675 x 850 x 1985	-	1390 x 850 x 1985	-	600 x 660 x 1875	-	1330 x 700 x 855	-	1775 x 700 x 855	-
Gross Volume (Litres)	600	-	1300	-	400	-	280	-	435	-
Refrigerator (+1°C/+4°C)	XR600H	C	XR1300H	E	-	-	-	-	-	-
Refrigerator (+2°C/+8°C)	-	-	-	-	-	-	XR2H	C	XR3H	C
Refrigerator (+3°C/+5°C)	-	-	-	-	XR415H	E	-	-	-	-
Refrigerator Glass door (+3°C/+5°C)	-	-	-	-	XR415G	B	-	-	-	-
Freezer (-18°C/-21°C)	XR600L	D	XR1300L	E	XR415L	†	-	-	-	-
No. of shelves	3 x GN2/1	-	6 x GN2/1	-	4 x (480 x 420mm) 6 fixed on XR415L	-	2 x GN1/1	-	3 x GN1/1	-



Energy efficient hydrocarbon refrigerant, one of the greenest refrigerants on the market.

Energy grade*

Available options

Additional GN 1/1 & 2/1 nylon coated shelves with trayslides



100mm splashback for counters



Basket drawers for counters



Also:

Rear covers (stainless steel) for counters

NB: Please specify all options required at the time of ordering



Interest-free credit available over 24 months **ZERO** (UK only)

† Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown
* Based on standard specification. Full energy listings available at fosterrefrigerator.com.




Store your products in undercounter refrigeration for convenience and an efficient kitchen.

Undercounter cabinets

FOSTER


Undercounter cabinets


- These convenient, practical and tough undercounter cabinets offer on-the-spot storage of products right where it's needed - at the point of preparation.
- Undercounter refrigeration is perfect for tight kitchen areas as they use less space under the work bench for refrigerated storage.
- Front breathing refrigeration systems on all models, makes the range suitable for use in enclosed areas.

 **150, 200 and 360 models**
Glass door versions also available.



Hydrocarbon Refrigerant






Storage Refrigeration

 **Space saver 120 and 240 models**
GN1/1 storage on a small footprint.



Specifications


Configurations



	120	150	200	240	360
Dimensions (w x d x h) mm	440 x 745 x 895	605 x 640 x 830	684 x 755 x 824	870 x 745 x 895	1217 x 755 x 824
Gross volume (Litres)	120	150	200	240	360
No. of shelves	2	2	2	4	4
Refrigerator (+3/+5°C)	-	HR150	HR200***	-	HR360
Refrigerator (+3/+5°C)	-	HR1502D*	-	-	-
Refrigerator (+3/+5°C)	-	HR1503D**	-	-	-
Glass door Refrigerator (+3/+5°C)	-	HR150G	HR200G***	-	HR360G
Refrigerator (+1/+4°C)	HR120	-	-	HR240	-
Freezer (-18/-21°C)	LR120	LR150	LR200***	LR240	LR360

Energy grade***

*2 Drawer model. **3 drawer model.

 **Available options**

High temp models only
Additional nylon coated shelf

Also:
Left hand hinged door

NB: Please specify all options required at the time of ordering

A+ Highly efficient A+ rated **two or three drawer** variations of the HR150 give simple access to inventory.




Interest-free credit available over 24 months **ZERO%** (UK only)

† Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown
*** Based on standard hydrocarbon refrigerant specification. Full energy listings available at fosterrefrigerator.com




Low level counters

Heavy duty cooking equipment can rely on the support of the Foster low level counters




- Undercounter refrigeration is provided at the point of cooking, offering a base for a char-grill, griddle or broiling top. Ideal for quick service restaurants and pubs as it provides refrigerated storage underneath the cooking area itself.


Specifications

Configurations	 LL2/1HD	 LL2/1HDRW	 LL2/4H
Dimensions (w x d x h) mm	1245 x 800 x 645	1030 x 800 x 645	1900 x 800 x 645
No. of Drawers	2	2	4
Refrigerator (+1/+4°C)	LL2/1HD	LL2/1HDRW	LL2/4H

Energy grade*



Available options





100mm splashback

Also:


100mm legs in lieu of castors

NB: Please specify all options required at the time of ordering







Designed to carry up to 300kg (evenly spread)
invaluable to any quick service cook-off station.



Robust build
heavy duty handles and fixings to withstand constant use.



Manoeuvrability
All models fitted with drawer locks and lockable castors as standard.



Configurations
Choice of two or four stainless steel drawer models.



Interest-free credit available over 24 months **ZERO*** (UK only)

* Based on standard specification. Full energy listings available at fosterrefrigerator.com.

**0% interest-free credit.
Nothing to pay for 3 months.
Zero hassle.**

Spread the cost of our market-leading refrigeration with interest-free payments over 12, 18 or 24 months. Plus there's nothing to pay for the first 3 months.

Find out more at fosterrefrigerator.com/IFC




The Refrigeration Experts



Gastronorm Roll ins

Roll in cabinets provide useful trolley loading refrigerated storage



- Stores large quantities of chilled or cooked food quickly and easily.

Glass door option


A glass door allows you to see if the unit is in use, and what's on the trolley without having to open the door, saving you time in a busy catering environment.




Industry leading design

Industry leading design offers the maximum storage capacity on the smallest possible footprint.



 Roll in refrigeration minimises food handling, **increasing the level of hygiene and food safety.**

 A range of trolleys, shelves and pans are available.

Specifications



Configurations

Dimensions (w x d x h) mm	865 x 940 x 2240
Trolley capacity	1 (GN2/1)
Refrigerator +1/+4°C	GRL1H

Available options

- 304 stainless steel back for island siting**
- S/S trolleys** (shelves not supplied)
- 20 GN 2/1 shelf positions**
- 20 GN 1/1 shelf positions**

NB: Please specify all options required at the time of ordering



Interest-free credit available over 24 months **ZERO*** (UK only) † Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown

Bakery

A range of specialist bakery equipment provides superb standards of reliability, hygiene and temperature control


- Provides ideal storage of all the ingredients required in a busy bakery.
- Refrigerator temperature between +1°C & +4°C suitable for high risk dairy products.



Specifications

Configurations


Dimensions (w x d x h) mm	700 x 935 x 2080
Bakery tray capacity (30" x 18")	20 (not supplied)
Refrigerator +1/+4°C	EP20BSR
Freezer -18/-21°C	EP20BSF





EP20



Hydrocarbon Refrigerant 



Storage Refrigeration

 **Sophisticated airflow system** ensures even temperature and humidity throughout.


 **Provides ideal storage** of the ingredients required in a busy bakery.

Chest Freezers




Convenient frozen storage



- With all the quality characteristics associated with Foster products, these robust, large capacity chest freezers are finished in a white laminate exterior with aluminium interior and a stainless steel lid for increased protection.



Specifications


Configurations	 FCF305	 FCF405	 FCF505
Dimensions (w x d x h) mm	1050 x 730 x 860	1300 x 730 x 860	1500 x 730 x 860
Gross Volume (Litres)	331	427	504
Freezer -18/-21°C	FCF305	FCF405	FCF505



Interest-free credit available over 24 months **ZERO*** (UK only)

Heated cabinets

Mobile cabinets ideal for transporting heated food to the point of service



Specifications



FHC291



FHC540

Configurations


Dimensions (w x d x h) mm	515 x 780 x 1600	720 x 900 x 1600
Gross Volume (Litres)	291	540
No. of Shelves (not supplied)	20 GN 1/1	20 GN 2/1
Heated +70°/+85°C	FHC291XM	FHC540XM

Mobility

Equipped with handles on the right, left and rear.



Mechanical thermostat displays the temperature even when the unit is switched off, making it ideal for mobile usage.



Can maintain +70°C for up to 1 hour without power (depending on food type and quantity).




Includes handles and castors for ease of mobility.

Available options

NB: Please specify all options required at the time of ordering

GN1/1 & 2/1 nylon coated shelf



Also:

220/60hz

Glass door

Reinforced bearing plate with 4 castors

A close-up photograph of a chef's hands in a kitchen. The chef is wearing a dark blue uniform with a red collar. They are holding a sliced tomato over a green cutting board. Several other tomato slices are already on the board. The background is blurred, showing a kitchen environment. A semi-transparent grey box with white text is overlaid on the right side of the image.

For efficient food preparation,
store your ingredients close to hand.

Prep

FOSTER


Prep

For when you need everything to hand


- Perfect food prep refrigeration whatever your operation, with fresh ingredients at your fingertips. So whether you're making pizzas, sandwiches, salads or desserts, you can minimise your kitchen processes whilst maximising your speed of service and profitability.

Safe food storage


Gastronorm pans are recessed into the top to allow the optional hinged night cover to form a complete seal. This enables safe storage of food within the pans during service. Inclined for easy accessibility.


Our Prep Station has been designed with the operator in mind, **all pans and work bench height are within comfortable reach.**




The fan assisted, forced air system delivers even temperature holding to both the counter base and top pan storage section.




The range is presented with a modern, sleek 304 stainless steel exterior and aluminium interior, **placing hygiene at the forefront of design for storing open ingredients.**

Clever inner catch tray stops food from falling into the main storage area, quickening clean down times.



Energy-saving natural hydrocarbon refrigerant as standard across the range.




A raft of options available to suit your preparation requirements, ranging from drawer sections and 150mm deep gastronorm pan arrangements, to the convenience of crumb trays.



Interest-free credit available over 24 months **ZERO** (UK only)

Specifications

Prep station
Configurations




	FPS2	FPS3	FPS1/3**	FPS4
Dimensions (w x d x h) mm	1140 x 850 x 1060	1720 x 850 x 1060	1440 x 850 x 1060	2300 x 850 x 1060
Gross Volume (Litres)	270	420	440	570
No. of Shelves	4	6	6 (GN 1/1)	8
GN 1/3 Pan capacity	6 (max 150mm deep)	9 (max 150mm deep)	7 (max 150mm deep)	12 (max 150mm deep)
Refrigerator (+1/+4°C)	FPS2HR	FPS3HR	FPS1/3HR-101	FPS4HR
Pan storage temperature	+3/+5°C	+3/+5°C	+3/+5°C	+3/+5°C

Gastronorm (GN) pan sizes



Gastronorm sizes are standard sizes of containers used in the catering industry



Interest-free credit available over 24 months **ZERO*** (UK only) **FP1/3 has a night blind cover





Pan chillers



- Our pan chiller range offers a solution to the key areas of food prep, converting a standard worktop for prep use.
- Pan chillers can be free standing or wall mounted for convenience (requires the purchase of shelf brackets).



Pan chiller Configurations

				
Dimensions (w x d x h) mm	970 x 415 x 265	1400 x 415 x 265	1500 x 415 x 265	1890 x 415 x 265
GN 1/3 Pan capacity	4	6	7	9
Refrigerator (+1/+4°C)	PC97/4	PC140/6	PC150/7	PC189/9

Available options

Half drawers

(per section) 390 x 351 x 175mm (w x d x h)



Nylon coated shelf



Set of shelf clips



Also:

304 stainless steel back for island siting

Lay on crumb tray

Pan supports to suit 1/6 or 1/9 pans

Helicoil mains lead



Hinged night cover



GN pan packs

1/3 stainless steel 150mm deep pans



Pan chiller options:

Wall shelf brackets

Spacer bars

NB: Please specify all options required at the time of ordering



Interest-free credit available over 24 months **ZERO%** (UK only)

XTRA Prep Counters



- Whether you're prepping for pizzas, sandwiches, kebabs or jacket potatoes and salad, our XTRA prep range includes a raised prep top or saladette to suit.
- Minimal footprint with maximum capacity, available in two or three door models to suit your size of operation.





Pizza or saladette prep counter available with two or three doors.



Excellent value with no compromise on safe food storage.



Compact footprint with maximum capacity, designed to suit your size of operation.



Class leading foodsafe performance, holding uniform temperature in both the counter base and top pan storage section.



All models have a **hinged cover** allowing safe storage of ingredients.



XTRA Prep counter has been **ergonomically designed** with the operator in mind.



304 stainless steel interior & exterior meaning quality is assured.



Supplied with **environmentally-friendly** natural hydrocarbon R290 refrigerant.



Interest-free credit available over 24 months **ZERO*** (UK only) † Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown

Raised Prep Top XRP Model



Raised Prep Top model combines convenient 'within reach' storage with extended worktop space, great for food preparation.



Flat top / large well **Saladette Cut Out** model maximises quick access to a large array of chilled ingredients. Supplied with full width chopping board for food preparation.

Saladette Cut Out XRS Model



Safe food storage

Unlike traditional prep counters, Foster's clever refrigeration system design includes a centrally mounted evaporator and close coupled circulation fans. This ensures class-leading performance, meaning the food inside your counter and prep-area are held at safe temperatures.



Quality and Reliability

Manufactured with robust components designed for 24/7 commercial use, safe food storage is assured with regular use in hot kitchen environments.




Specifications

Prep Counter Configurations




XRP2H



XRP3H



XRS2H



XRS3H

Dimensions (w x d x h) mm	900 x 700 x 1010*	1365 x 700 x 1010*	900 x 700 x 890*	1365 x 700 x 890*
Style	Raised prep top	Raised prep top	Saladette cut out	Saladette cut out
Nett Volume (Litres)	240	350	258	376
No. of Shelves (GN 1/1)	2	3	2	3
GN pan capacity**	5x GN1/6 Pans	8x GN1/6 Pans	2x GN1/1 + 3x GN1/6	3x GN1/1 + 6x GN1/6
Maximum GN pan depth	150mm	150mm	150mm	150mm
Storage temperature	+2/+8°C	+2/+8°C	+2/+8°C	+2/+8°C

*Height with lid open 1220mm

** Support bars included as standard, GN pans not included


Ergonomic design

XTRA Prep Counters have been designed with the operator in mind, with all pans in reach and work bench at a comfortable height.






Optimise your storage with the best GN pan configuration for your ingredients. A variety of possible pan configurations are shown here for easy reference.


XRP2H





XRS2H



XRP3H




XRS3H



Interest-free credit available over 24 months **ZERO*** (UK only)

† Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown

Food stays safe with Foster



Introducing the new EcoPro G3.

Engineered with our new cutting-edge **Foster Shield** technology including advanced temperature control and hygienic design, the G3 is our most food safe product yet.

Find out more at fosterrefrigerator.com/G3





Experts in blast chilling
and freezing since 1973.

Blast chillers and freezers,
and controlled thaw.

FOSTER

Blast chillers and freezers, and controlled thaw

The essential element to the commercial kitchen.

- Foster's Touchpad range maximises the condition, taste and texture of your food.

Modular Blast Chillers

Huge range of large capacity modular blast chillers and freezers designed to cope with even the most demanding, high volume kitchens.


Designed to take most standard trolleys, chilling capacities from 75kg to 250kg, with occasional freezing on MBCFT models.



 The industry choice, since 1973 for meeting hygiene standards, **preserving the quality of your food and reducing food waste**




******* Our upgraded standard blast chiller models have the addition of an **occasional freeze capacity for ultimate flexibility**

 Just press and go! Forget the confusion of other blast chillers with Foster's **intuitive user friendly control panel**

- **Clear colour coding** to indicate cycle status
- Automatically selected timed or probe chill/freeze options
- Automatic temperature hold on completion of cycle



 304 stainless steel interior & exterior: the 'gold standard' in performance finishes meaning **quality is assured**

 Exceed your quality expectations – **Blast chill** from +70°C to +3°C in 90mins with an entry temperature of up to 90°C – **Blast freeze** from +70°C to -18°C in less than 240mins

Roll in Blast Chiller



RBCT 20-60

Specific model to accept the Rational GN201 trolley with a chilling capacity of 60kg*

Controlled thaw

Thaws 70kg of food safely from frozen to +1/+4°C in typically 7 to 10 hours.



Interest-free credit available over 24 months **ZERO%** (UK only)

* Supplied with guide rails suitable for Rational Combi Pro and I Combi models

Specifications

Configurations	BCT15	BCT22	BCT38	BCT52	RBCT20-60	CT75KG
Dimensions (w x d x h) mm	755 x 690 x 880*	755 x 690 x 1515*	755 x 690 x 1515*	755 x 690 x 1790*	980 x 865 x 2215	700 x 820 x 2080
GN1/1 shelf positions	5	6	10	14	-	-
GN2/1 shelves	-	-	-	-	-	10 (supplied)
Trolley capacity	-	-	-	-	1 x Rational 201	-
Blast chiller	-	-	-	-	RBCT20-60**	-
Blast chiller/freezer	BCT15-7	BCT22-12	BCT38-18	BCT52-26	-	-
Dedicated Blast freezer	BFT15	BCT22	BFT38	BFT52	-	-
Controlled thaw	-	-	-	-	-	CT75KG

*Please add 55mm to depth for spacer. ** RBCT20-60 available as either integral (with condensing unit) or remote (supplied for connection with remote condensing unit).



The BCT Range – Blast Chillers with occasional freeze capacity

Foster's upgraded range includes an occasional freeze capacity, denoted by the suffix of the product code:

- BCT38-18**
BCT = Blast Chiller Touchpad
38 = 38kg blast chilling capacity
18 = 18kg occasional blast freezing capacity

The range is said to have 'occasional freeze' capacity as there is no integrated defrost system, meaning users needing to blast freeze on a regular basis should choose the dedicated BFT range. The range offers a chilling capacity of +70°C to +3°C in less than 90 minutes within specifications.



The BFT Range – Dedicated Blast Freezers

Foster offers a dedicated blast freezer range, with a freezing capacity of +70°C to -18°C in less than 240 minutes within specifications.

- BFT38**
BFT = Blast Freezer Touchpad
38 = dedicated 38kg blast freezing capacity

It should be noted that the BFT range can also operate as a blast chiller if required.

Available options



Cabinet models specific

- Left hand hinged door
- GN1/1 nylon coated shelf
- GN1/1 s/steel shelf
- RS485 connection for HACCP data logging
- Less condensing unit
- Alternative voltages 220/60/1 electrical option NB BCT52 400/50/3 440/60/3
- Multi-format compatible racking section (GN1/2 & 60x40cm bakery sizes)

Roll in specific

- Left hand hinged door
- Leg extension for RBCT20-60 (increases height by 65mm)
- Supplied with guide rails suitable for Rational Combi Pro and I Combi models
NB For Rational iCombi Product height increases 25mm

Modular specific

- Integral or remote options
- Stainless steel control panel
- Roll through options
- Control panel fitted with thermostat controlled anti-condensate heater
- 3 probe option
- 20 shelf GN2/1 stainless steel trolley
- 20 shelf GN1/1 stainless steel trolley

- Delivery, erection and commissioning
- Staff training

NB: Please specify all options required at the time of ordering



Interest-free credit available over 24 months **ZERO*** (UK only)

*Excludes BCT52-26/BFT52/roll in blast chillers

† Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown
Reach in blast chillers comply with requirements of EN ISO22042:2021.




XTRA blast chillers

Built for you, designed for your budget.



A full range of value for money refrigeration you can depend on:



- 10, 20 and 35Kg economic blast chillers



Available for delivery:



- Get your XTRA when you need it
- Unrivalled aftercare - 98% of spare parts held in stock
- Full 2 years parts & labour warranty from the UK market leader for total peace of mind

The XTRA range

At a glance

10kg capacity blast chiller



20kg capacity blast chiller



35kg capacity blast chiller



Interest-free credit available over 24 months **ZERO*** (UK only)

Capacity

75mm shelf spacing on XTRA blast chillers maximises capacity.




Blast chilling

The blast chiller range has hard and soft chill programming options which chill food from +70°C to +3°C in 90 minutes within specifications.



Specifications



Configurations

	XR10		XR20		XR35	
Dimensions (w x d x h) mm	755 x 700 x 880	-	755 x 700 x 880	-	755 x 700 x 1535	-
Chilling capacity (kg)	10	-	20	-	35	-
Blast chiller	XR10	†	XR20	†	XR35	†
No. of shelves	5 x GN1/1 (not supplied)	-	5 x GN1/1 (not supplied)	-	10 x GN1/1 (not supplied)	-



Interest-free credit available over 24 months **ZERO%** (UK only)

† Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown. Reach in blast chillers comply with requirements of EN ISO22042:2021.



Showcasing your
products beautifully.

Multideck
Display Chillers




ECOSHOW

Products have never looked so good




- Efficiency meets stunning display, with the new EcoShow. With an 80% energy saving on previous models and our new revolutionary uplighting, your products have never looked so good.


- Designed using cutting edge CFD modelling technology for genuine temperature retention, you can be confident that food will stay fresher for longer.




Frameless glass doors **save you 80% on energy** compared to doorless models




Our **extraordinary uplighting** uses LED lighting (patent pending) with new anti-glare feature




Swivel braked castors as standard for easy movement

Maximum visibility through the side panels for **enhanced visibility** of content



The EcoShow range can store **between 306 and 884 cans** – and that's without double stacking!



All models fitted as standard with our award winning **+STAYCLEAR** low maintenance condenser.



Interest-free credit available over 24 months **ZERO%** (UK only)

EcoShow Specifications

Configurations



EMD700G



EMD900G



EMD1200G



EMD1500G



EMD1800G

Dimensions (w x d x h) mm**	695 x 770 x 1955	-	895 x 770 x 1955	-	1195 x 770 x 1955	-	1495 x 770 x 1955	-	1795 x 770 x 1955	-
330ml drink can capacity (single stack)	306	-	408	-	578	-	714	-	884	-
No. of storage levels	5	-	5	-	5	-	5	-	5	-
Display (+1/+5°C) M1	EMD700G	B	EMD900G	B	EMD1200G	B	EMD1500G	B	EMD1800G	B

Energy grade*

* Based on standard specification. Full energy listings available at fosterrefrigerator.com.

**Depth includes 35mm spacer for when the product is to be wall sited.

Available options

Additional shelf



NB: Please specify all options required at the time of ordering



Supplied as standard

High impact LED lighting



Point of Sale ticket strips



Hydrocarbon Refrigerant



Energy efficient hydrocarbon refrigerant, one of the greenest refrigerants on the market.



Interest-free credit available over 24 months **ZERO*** (UK only)

Pro and Slim Multideck Display Chillers

Stylish performance merchandisers



- From convenience stores and cafes to bakeries and supermarkets, Foster Pro and Slim Multideck Display Chillers ranges offer the perfect solution to suit all budgets and every possible business application.



Brilliantly bright LED lighting
lasts 10x longer than fluorescents
and saves you money.




Enlarged thick toughened glass walls
for maximum display and enhanced safety.



Huge capacity – Foster Multidecks are
in a league of their own:

- Slim Multidecks stock 3 sandwich packs deep on a slimline footprint
- Pro Multidecks hold 7 coke bottles deep and over 5 display levels.



Designed using cutting-edge 'CFD'
modelling technology for **genuine
temperature retention** ensuring
food stays fresher for longer.



Interest-free credit available over 24 months **ZERO%** (UK only)

Slim Specifications

Configurations



FMSLIM700



FMSLIM900



FMSLIM1200



FMSLIM1500



FMSLIM1800

Slim Model	FMSLIM700NG	E	FMSLIM900NG	F	FMSLIM1200NG	F	FMSLIM1500NG	E	FMSLIM1800NG	F
Dimensions (w x d x h) mm**	695 x 740 x 1780	-	895 x 740 x 1780	-	1195 x 740 x 1780	-	1495 x 740 x 1780	-	1795 x 740 x 1780	-
330ml drink can capacity (single stack)	216	-	288	-	384	-	504	-	624	-
No. of storage levels	4	-	4	-	4	-	4	-	4	-

Pro Specifications

Configurations



FMPRO900



FMPRO1200



FMPRO1500



FMPRO1800

Pro Model	FMPRO900NG	E	FMPRO1200NG	E	FMPRO1500NG	E	FMPRO1800NG	E
Dimensions (w x d x h) mm**	895 x 795 x 1960	-	1195 x 795 x 1960	-	1495 x 795 x 1960	-	1795 x 795 x 1960	-
330ml drink can capacity (single stack)	420	-	560	-	735	-	910	-
No. of storage levels	5	-	5	-	5	-	5	-

Energy grade*

* Based on standard specification. Full energy listings available at fosterrefrigerator.com.

**Depth includes 60mm spacer for when the product is to be wall sited

Available options



Stainless steel shelf and support brackets

NB: Please specify all options required at the time of ordering

Point of sale




Ticket strips as standard on all models.



Interest-free credit available over 24 months **ZERO*** (UK only)





Our patented shaped ice cubes last longer, giving your customers the ultimate drinking experience.

Ice Machines

FOSTER

Ice Machines

A range of ice makers using cutting edge technology so the ice is crystal clear and lasts longer in customer's drinks

- Seven ice cuber models with a range of outputs from 20 to 290kg.
- Modular ice flakers producing clean flaked ice with a range of outputs from 120 to 220kg.
- Ice dispenser with capacity to service 200-300 drinks per day.



Interest-free credit available over 24 months **ZERO%** (UK only)





Patented shaped ice is much less inclined to stick together in the ice maker and is harder.

The spray system **produces crystal clear ice cubes**, which last longer in cold drinks.

Innovation

Ergonomic food safe retractable lid ensures easy access to the ice.




Front ventilation system

Front ventilation system allows a significant energy saving and means the ice maker fits perfectly into narrow spaces.



Specifications



Configurations

	FS20	FS40	FS50	FS90	F132+SB105	F132+SB205	F202+SB205	F202+SB305	F302+SB205	F302+SB305	FMIF120
Dimensions (w x d x h) mm	340 x 480 x 600	500 x 540 x 690	500 x 580 x 800	700 x 580 x 995	570 x 810 x 1635	850 x 810 x 1670	850 x 810 x 1670	1078 x 870 x 1590	850 x 810 x 1670	1078 x 870 x 1590	680 x 510 x 1000
Output per 24 hours	25kg	39kg	46kg	81kg	134kg	134kg	205kg	205kg	270kg	270kg	118kg
Bin capacity	6.5kg	15kg	22kg	42kg	129kg	181kg	181kg	252kg	181kg	252kg	18kg

Note: 150mm gap required either side for airflow. Output figures quoted are based on 10°C water input and ambient air temp of 21°C. Maximum ambient air temp 40°C and 35°C water input temp.

Available options

- Condensate pump
- Everpure filter, cartridge and head kit
- Everpure water filter & ION clean installation kit

- Ion clean
- Adjustable leg set
- Installation

NB: Please specify all options required at the time of ordering



Interest-free credit available over 24 months **ZERO*** (UK only)


**Foster and Gamko Leasing.
Market-leading refrigeration
in bitesize payments. Tasty.**

Lease our products over 3 or 5 years and take advantage of bitesize, 100% tax-deductible payments. Freedom and flexibility, without the capital outlay.

Find out more at fosterrefrigerator.com/leasing



The Refrigeration Experts





Where space is at a premium, Coldstores allow the kitchen to be prioritised for preparation, allowing an optimised service.



Bespoke Coldrooms

Ideal where space is at a premium, Bespoke Coldrooms are designed to maximise the available site space allowing you a fully flexible solution



- Fast and accurate quotations from the Coldstores sales team
- Full project management / site survey
- Installation supervised by Foster Coldstores experienced personnel from start to finish
- Back up service support from UK based manufacturer offering **nationwide coverage**
- **12 months warranty** with 24/7 service desk coverage and dedicated service line 0843 216 4888
- Refrigeration types available to suit any application
- Available with weather proofing options for external coldroom applications



Fully packaged remote refrigeration system includes Foster unit coolers, split system flexibility, easy remote operation and hi/low temperature alarms.



	Remote	Integral
Most reliable form of walk in refrigeration	✓	✗
Lowest capital cost	✗	✓
Lowest energy consumption	✓	✗
Removes heat from the area	✓	✗
Removes noise externally	✓	✗
Quicker temperature recovery	✓	✗

Shelving & Racking

Clever racking design increases usable capacity by up to 24%


- A versatile range available with a wide variety of options including anodised aluminium, stainless steel, nylon coated and chrome finishes, and solid, slatted, perforated and wire formats. Mobile shelving is also available.



Advantage + Range

The Advantage + coldroom range offers the quality you would expect from the commercial refrigeration market leader. This range optimises the panel configurations and refrigeration plant selections, delivering the same great product at an amazing price.

The range consists of 6 standard coldroom sizes, from 3.55m³ to 15.14m³ capacities with integral and remote refrigeration options:



Dimensions (w x d x h) metres	1.5 x 1.5 x 2.1	1.8 x 1.8 x 2.1	2.1 x 2.1 x 2.1	2.4 x 2.4 x 2.1	3.0 x 3.0 x 2.1	3.6 x 2.4 x 2.1
Gross Volume (m ³)	3.55	5.51	7.41	10.25	15.84	15.14
Refrigerator (+1°C/+4°C) Integral	ADV1515HT INT	ADV1818HT INT	ADV2121HT INT	ADV2424HT INT	ADV3030HT INT	ADV3624HT INT
Refrigerator (+1°C/+4°C) Remote	ADV1515HT REM	ADV1818HT REM	ADV2121HT REM	ADV2424HT REM	ADV3030HT REM	ADV3624HT REM
Freezer (-18°C/-21°C) Integral	ADV1515LT INT	ADV1818LT INT	ADV2121LT INT	ADV2424LT INT	ADV3030LT INT	ADV3624LT INT
Freezer (-18°C/-21°C) Remote	ADV1515LT REM	ADV1818LT REM	ADV2121LT REM	ADV2424LT REM	ADV3030LT REM	ADV3624LT REM

- Quick and efficient coldroom installation minimising disruption to the end user
- **UK manufactured coldroom**, designed and made in our purpose built King's Lynn factory
- Full UK service coverage
- **Full project management**
- 12 months **parts and labour warranty**
- Suitable for ambient temperatures up to 32°C
- White laminate finish to exterior and interior
- Safe, non-slip, rigid, galvanised floor as standard on all freezer rooms
- Lockable, hinged door comes complete with internal safety release handle
- 3 tier nylon shelving offered as an option on all models

Ultra Range

The Foster Coldstores Ultra range of tailor-made coldrooms represents the pinnacle in environmentally-friendly walk in refrigeration. The Ultra coldrooms are infinitely adaptable and utterly foodsafe. This range has been designed with operator use, energy, and performance in mind ensuring all aspects of the coldroom suit the operation and energy goals of the client. The latest technology has been designed into the Ultra range providing unrivalled performance.

- **Ultra low energy coldrooms** saving up to 30% in energy costs vs. industry standard
- Designed and manufactured in the UK and **built to last** in the hardest working environments
- Low transport carbon footprint
- Low energy LED lighting
- Low energy evaporators
- Energy-efficient insulated door curtains
- 98% recyclable
- 100mm high density foam insulated panels (43kgm³)
- 100mm door insulation for energy efficiency
- Semi rebate, positive sealing doors
- Door closure assist devices
- Optional door open alarm
- Optional foamed in micro switches



Door closure assist device



Insulated door curtain


Low Energy Evaporators: By using EC fan motors, we have been able to increase efficiency from lower power usage. The additional benefit is a reduction in heat generated within the room.



The Ultra Coldroom is easy to maintain and clean and comes with:

- 2 year parts and labour warranty
- Low GWP refrigerant options
- Low noise condensing unit
- As little as a one year energy payback

Ultra low energy coldrooms saving you up to 30% vs. industry standard





By Appointment to
Her Majesty Queen Elizabeth II
Suppliers of Commercial Refrigeration
Foster Refrigerator, King's Lynn



Head Office

Foster Refrigerator
Oldmedow Road
King's Lynn
Norfolk
PE30 4JU
UK

Tel: **+44 (0)1553 691122**
Email: **info@foster-gamko.com**

fosterrefrigerator.com
gamko.com

division of ITW



Product Selection Guide Foster Mar 2023
Literature Code: 2258



GAMKO



The Refrigeration Experts

Product Selection Guide

Gamko.com



Made in the
Netherlands



[Click here for the contents](#)



0% interest-free credit.
Nothing to pay for 3 months.
Zero hassle.

Spread the cost of our market-leading refrigeration with interest-free payments over 12, 18 or 24 months. Plus there's nothing to pay for the first 3 months.

Find out more at gamko.com/IFC



The Refrigeration Experts



Gamko's portfolio of commercial drinks refrigeration encompasses our unique blend of innovative spirit and precision engineering.



Gamko was founded over 60 years ago in a barn in the Netherlands, and since then we've revolutionised the professional drinks cooling industry.



Our interest-free credit offer allows you to spread payment over 12, 18 or 24 months, with no deposit, fees or catches! (UK only). Plus a three month payment holiday!



Innovation is at our core, like our award-winning +stayclear condenser - a great example of how we're always looking to raise the bar in refrigeration.



Our bar design experts are on hand to help you, with free site surveys and Flexbar designs to your specification.



Gamko are accredited to ISO 14001, the recognised international standard in Environmental Management Systems, and ISO 9001, the benchmark for Quality Management Systems.



We're part of ITW, a Fortune 250 company, a world leading manufacturer with a \$2.6 billion food equipment division specialising in refrigeration, warewash, cooking and service - so whatever your need, ITW has you covered!



Gamko UK (a division of ITW Ltd)

Oldmedow Road
King's Lynn
Norfolk
PE30 4JU
United Kingdom

Sales

+44 (0)1553 780336
sales@foster-gamko.com

Gamko Worldwide

P.O. Box 274
4870 AG Etten-Leur
Mon Plaisir 75
4879 AL Etten-Leur
The Netherlands

Export sales

+44 (0)1553 780515
export@foster-gamko.com



Welcome to your **interactive** Gamko product selection guide.



To return to the contents

at any point, click on the Gamko logo on every page



Look out for the Gamko 'Play' buttons - these will launch bonus content

Bar design	6
Maxiglass bottle coolers	8
E3 undercounter bottle coolers	14
Flexbar modular bar system	18
Glass frosters	22
Counter top coolers and freezers	23
Keg coolers	24



Bar design

Your dream bar, designed exactly how you want it

We can advise you on the equipment you will need, the functionality, look and feel of the bar, and how to make it as energy efficient as possible, without compromising on quality.

A unique and tailored Gamko bar is characterised by:



Reliability – peace of mind about the longevity of the cooling systems



Distinctiveness – your bar has a stylish and recognisable look and feel



Functionality – the bar design allows bar staff to be highly efficient and effective



Energy efficiency – energy costs will be kept to a minimum



Repeat custom – additional revenues through an experience that keeps your customers coming back





Hello Gorgonzola

VECTRON

Hertog Jan

KOVOI



MAXIGLASS

With larger capacity, brighter lights and more energy saving features, the best just got better.

MAXIGLASS Bottle coolers

Chill more. See more. Save more.

- ◇ Market leading capacity on a minimal footprint - nearly 10% greater capacity compared to the previous market leading Maxiglass range.
- ◇ Vertical LED lights for a beautifully illuminated glass display area, encouraging impulse purchases.
- ◇ With up to 30% energy savings compared to the previous range, the MG3 is one of the greenest bottle coolers on the market.



Available in 3 heights, multiple widths and with hinged or sliding doors, meaning there's a Maxiglass to suit every need.



Innovative flat shelving design ensures no more 'wobbly' bottles, meaning effortless stocking and retrieval of drinks.



Superior storage capacity in its class. The MG3 range can store between 143 and 480 bottles!



Top mounted doors locks as standard for keeping your contents safe and secure.



Two dimmable vertical lights with even illumination to show the drinks in a desirable light, inspiring impulse purchases.



Upgraded low maintenance condenser design reduces the need to clean, and means your product doesn't have to work as hard.

The green machine

Our most popular Maxiglass products have a one piece fully foamed shell which significantly improves temperature performance, maintaining the cold air for longer, reducing your energy bills.



A view from the top

The controller is positioned at the top of the Maxiglass to avoid accidental damage, and drinks spillages from within the cabinet.



Space saving

When space is at a premium, why not choose a sliding door model?




Another bright idea

Maxiglass features a new vertical LED light per door section, so bright, we had to engineer a dimmer switch.



Introducing increased Bottle capacity

The Maxiglass range has outstanding capacity and can store between 143 and 480 bottles. Large capacity bottle coolers mean that you won't need to restock as often, saving time for your staff and limiting door openings.



MG3/150

181x 250ml bottles or
143x 330ml bottles

MG3/300

310x 330ml bottles

MG3/250

260x 250ml bottles or
225x 330ml bottles

MG3/500

480x 330ml bottles

MG3/275

370x 250ml bottles or
322x 330ml bottles

MG3/315

415x 250ml bottles or
366x 330ml bottles



The MAXIGLASS range

At a glance

MG3/150 & LG3/150

Glass Doors



Solid Doors



MG3/250 & LG3/250



MG3/275



MG3/315 & LG3/315



MG3/300

Glass Doors



MG3/500



- ◇ All models available in anthracite or with a stainless steel door.
- ◇ All models available as sliding door, excluding MG3/150 and LG3/150.
- ◇ All models come with LED lighting, door locks as standard, auto defrost and adjustable shelving.
- ◇ The MG3/150 & 250 and LG3/150 & 250 models operate efficiently in ambient temperatures of up to 40°C.
- ◇ All models have an adjustable temperature range of +2/+18°C and are set at +6°C as standard.
- ◇ New upgraded & more ergonomically friendly solid door format.

Specifications




MG3/150 & LG3/150



MG3/250 & LG3/250



MG3/275



MG3/315 & LG3/315

Undercounter configurations

MG Dimensions (w* x d** x h***) mm	600 x 575 x 900/910mm	900 x 575 x 900/910mm	1200 x 575 x 900/910mm	1350 x 575 x 900/910mm
LG Dimensions (w* x d* x h***) mm	600 x 575 x 840/850mm	900 x 575 x 840/850mm	N/a	1350 x 575 x 840/850mm
Door configuration	Hinged	Hinged or sliding	Hinged or sliding	Hinged or sliding
Finish	Anthracite or s/steel front	Anthracite or s/steel front	Anthracite or s/steel front	Anthracite or s/steel front
Number of shelves	2	2	2	6
Electrical supply	1ph/13amp	1ph/13amp	1ph/13amp	1ph/13amp
Refrigerant	R600a	R600a	R600a	R600a
MG Energy Grade	C	C	C (G and SD models: D)	C (G and SD models: D)
LG Energy Grade	C	C	-	D



MG3/300



MG3/500

Cabinet configurations

Dimensions (w* x d** x h***) mm	602 x 530 x 1800/1825mm	900 x 530 x 1800/1825mm
Door configuration	Hinged	Hinged or sliding
Finish	Anthracite or s/steel front	Anthracite or s/steel front
Number of shelves	5	5
Electrical supply	1ph/13amp	1ph/13amp
Refrigerant	R600a	R600a
Energy Grade	D	E (SD model: F)


*During installation add 10 mm to the total width for optimal airflow.

**Depth of the cabinet is excluding handgrip, including power supply connection.

***Height is adjustable.

Levelling feet

These feet enable the product to be installed level on uneven floors, ensuring the product remains in position during operation and the height can be adjusted.




MAXIGLASS



Available options




Wine shelves



Additional solid shelves

NB: Please specify all options required at the time of ordering



Foster and Gamko Leasing.
Drinks refrigeration in smaller
manageable payments.
How refreshing.

Lease our products over 3 or 5 years and take advantage of bitesize, 100% tax-deductible payments. Freedom and flexibility, without the capital outlay.

Find out more at gamko.com/leasing



The Refrigeration Experts

Groundbreaking capacity
and exceptionally low
energy usage is the
backbone of our E3 range.

E3



E3 Bottle coolers

Enhanced storage capacity, superb energy efficiency

- ◇ With superior storage, one three door E3 can hold 127 more bottles than two standard two door bottle coolers, and all on a smaller footprint.
- ◇ The E3 range is available with drawers, a sleek addition which can make your bar easier for staff to use.
- ◇ Temperature range is adjustable from +2°C to +18°C giving you the flexibility to store white wines, red wines, beers and ciders.



TotalChill technology means there are no 'hot spots' so all bottles and kegs are cooled equally, and customers are consistently served cold drinks.



Reduced energy usage – over 60% more energy efficient than our previous range meaning you aren't just saving money, you're also investing in an environmentally responsible product.



Powerful refrigeration system means you can fill the E3 up and drinks are at the right temperature for the next shift.



Superior storage capacity of up to 722 bottles – making 'bottling up' more efficient for bar staff and allowing for faster service.



Add drawers to your E3 bottle cooler and you will not only create a practical bar layout, but also a sleek and ergonomic one!

Environmentally friendly

All our bottle coolers use environmentally friendly and energy efficient R600a hydrocarbon refrigerant.



Safe and secure

Locks come as standard on glass door models, and are optional for solid doors.



Refrigeration to suit you

Available as plug ready or remote.






Specifications



E3/22MU84




E3/22VS84



E3/222MU84



E3/222VS84



E3/2222MU84



E3/2222VS84

Standard height configurations

Dimensions (w x d x h) mm	1434 x 520* x 840**/860-880***	1184 x 545* x 840**/860-880***	1988 x 520* x 840**/860-880***	1738 x 545* x 840**/860-880***	2542 x 520* x 840**/860-880***	2292 x 545* x 840**/860-880***
Storage Capacity (33ml bottles)	344	344	531	531	722	722
Plug ready or Remote	Plug ready	Remote	Plug ready	Remote	Plug ready	Remote
Energy Grade	B (Solid door); C (Glass door)	†	B (Solid door); C (Glass door)	†	B (Solid door); C (Glass door)	†

*Glass door anthracite finish models are fitted with an integrated handle which increases depth by 12mm **height without feet ***adjustable height

Available options



Lock for solid door and drawer



Additional solid metal shelf 511 x 348 mm



Optional drawers for E3

- 2 x 1/2 Drawers Anthracite
- 3 x 1/3 Drawers Anthracite
- 2 x 1/2 Drawers S/steel
- 3 x 1/3 Drawers S/steel



NB: Please specify all options required at the time of ordering



FLEXBAR

The options are endless with our modular bar range, so you can have a bar unique to you.

GAMKO




fuze


FLEXBAR





Design your new bar just the way you want it.


- Flexbar allows you to have greater flexibility and choice. Whether you want a straight, curved or round bar, pass through segments or barista station, our experts can design your bespoke bar layout.


 **Our highly experienced team** will be with you every step of the way, managing the project so you don't have to.


 **Over 140 modules to choose from**, meaning that we can help you create your dream bar, unique to you. The options are endless, with different finishes, four temperature zones, drawers or doors!

 **Specialist designers create free bespoke drawings** based on your specifications, so you can see your design come to life.

 **Easy to assemble camlock system** – reduces installation time so you can start using your Flexbar straight away.

 **Central electronic locking system (CELS)** for securing the bar at the end of a shift.

 **Coloured and white EQUAL LED lighting** – creates a unique atmosphere - you can even sync this to your sound system.



Creating your perfect bar in 5 simple steps

Follow our 5 easy steps to design a unique bar tailored to your space.

Step 1. Choose your design – with Flexbar, you can have straight, curved or custom

Straight



Curved



Custom



Step 2. Select your machine unit, spec and finish – do you want remote or integral? White and RGB lights and our CELS locking system? Anthracite or stainless steel?



Step 3. Add your refrigerated storage segments – choose between doors or drawers.



Step 4. Enhance your design with the finishing touches – endless customisation includes ambient storage, counter top coolers, glass frosters, barista and cocktail stations.



Step 5. Send your sketch or wish list to us – we'll design and price your dream bar.




Available options



FLEXBAR


– your bar, your way

Our Flexbar allows you to have greater flexibility and choice. Whether you want a straight, curved or custom bar, pass through segments or barista station, our experts can design your bespoke bar layout.



Curved Flexbar

Special insulated corner pieces are used when building a round or curved Flexbar configuration to allow the cold air through, and are precisely custom-made to the desired radius.



Flexbar eEquip

eEquip your bar with unique graphics to blend in or to stand out.



Pass throughs

Gamko have created pass through segments (with a door either side) so that the bar can be served from 2 sides. This means that the bar is used more creatively.

Glass frosters

Specially developed for rapid freezing of drinks glasses.

- ◆ Ultra-efficient cooling system, within a few minutes you will have access to frozen glasses.
- ◆ Helps make a showpiece of your bottles and glasses!




Attractive display

Anti condensation technology prevents condensation and provides an attractive display of bottles of spirits and liqueur.



Stainless steel finish with glass or solid door.

Anthracite finish with glass or solid door.



Award-winning

+ STAYCLEAR SC

Our award-winning condenser – revolutionising the efficiency of refrigeration. Fitted to our plug ready glass frosters as standard.

Specifications



GF/100

Dimensions (w x d x h) mm	600 x 538 x 840/880*
Pint glass capacity	50
Finish	Anthracite or stainless steel
Adjustable shelves	2
Temperature	-10/-14°C

* Adjustable height

Counter top coolers & freezers

Convenient coolers and freezers suitable for counter top or inseting into the counter.

- ◆ Plug ready and ideal for serving chilled wine, liqueur or spirits by the glass, at a constant temperature.
- ◆ The cooler provides a good view of the bottles from above. As a result you can conveniently and quickly see what you are looking for to ensure smooth service behind the bar.



Specifications



VKHC/10



VKHC/12

Dimensions (w x d x h) mm	510 x 423 x 253	458 x 373 x 490
1L bottle capacity	10	12
Refrigerator +4/+8°C	VKHC/10R	VKHC/12R
Freezer -8°C/-12°C	VKHC/10F	VKHC/12F



Keg Coolers

Quickly achieve the correct beer temperature and best taste experience.

- ◆ Premium quality range of plug ready undercounter keg coolers and modular keg coolers

Concealed installation

The panel construction keg coolers are specially developed for concealed installation and/or in difficult-to access places.



Plug ready (no separate condensing unit required).

Can be fitted under a tap and python lines can be inserted on models with machine units on right and left.



A Gamko machine unit is always fitted on top of a modular cooler for **optimal distribution of cold air.**

Panel construction keg coolers are supplied as **ready-to-assemble panels.**





Plug Ready Specifications



FK2-25/4



FK2-25/6



FK2-25/8

Dimensions (w x d x h) mm	880 x 567 x 860/880*	1110 x 567 x 860/880*	1350 x 567 x 860/880*
Keg capacity	4 x 20L (Ø 240mm) or 1 x 50L (Ø 423mm)	6 x 20L (Ø 240mm) or 1 x 50L (Ø 423mm) & 2 x 20L (Ø 240mm)	2 x 50L (Ø 423mm) or 8 x 20L (Ø 240mm)
Adjustable temperature range 0/+7°C	FK2-25/4	FK2-25/6	FK2-25/8

* Adjustable height

Modular Specifications




FK/MU



FK/2




FK/4



FK/6



FK/8



FK/10

Dimensions (w x d x h) mm	627 x 523 x 335	1060 x 713 x 1080/1100	1060 x 978 x 1080/1100	1465 x 978 x 1080/1100	1870 x 978 x 1080/1100	2200 x 978 x 1080/1100
Keg capacity	-	2 x 50L or 4 x 30L	4 x 50L or 8 x 30L	6 x 50L or 12 x 30L	8 x 50L or 16 x 30L	10 x 50L or 20 x 30L
Adjustable temperature range +1/+18°C	FK/MU (Machine unit)	FK/2 (Panel set)	FK/4 (Panel set)	FK/6 (Panel set)	FK/8 (Panel set)	FK/10 (Panel set)



Bringing the showroom to you



Wondering how the keg cooler would look in a real bar environment?

View our immersive showroom today at

[gamko.com/showroom](https://www.gamko.com/showroom)



Gamko
Oldmedow Road
King's Lynn
Norfolk
PE30 4JU
UK

Tel: +44 (0)1553 691122
E-mail: info@foster-gamko.com

gamko.com

division of ITW

